



L'ESSENZIALE  
È INVISIBILE  
AGLI OCCHI

INSTRUCTION MANUAL

TEMPO  
RARY  
BOX

EASY INTERCHANGEABLE DIY  
SIMPLE @ PRATICLE ADAPTABLE  
@ CLEAN ECOFRIENDLY QUICK  
DIY FLEXIBLE DYNAMIC @ EASY  
FUNCTIONAL SIMPLE INTUITIVE  
CONVENIENT EASY @ FASTER  
HANDY ECOFRIENDLY CLEAN  
EFFICIENT @ FLEXIBLE SIMPLE  
CHEAPER FASTER FUNCTIONAL  
@ ESSENTIAL DIY SUSTAINABLE  
INTERCHANGEABLE CHEAPER  
VERSATILE DYNAMIC PRATICLE  
ECOFRIENDLY EASY UNIQUE @

**TEMPORARY BOX®** is a **magnetic laying system, simple, functional and dynamic** that makes the exposure of every type of covering and floor more flexible.

The development of the magnetic application has been thought and tested on the ceramic product, therefore everything that is exposed in this manual and in these information sheets refers to this type of material. If you would like to use this system for the display of other types of surfaces, you must ask for our technical advice by email at: [info@keramet.it](mailto:info@keramet.it)

The **TEMPORARY BOX® system is patented**, is a product of preferential origin and the materials used are REACH,RoHS,En71 certified.

It consists of three elements:

1. **MAGNETIC PANEL.**

2. **DIY ADHESIVE METAL PLATE** (to be attached to the back of the tiles).


3. **REMOVABLE FILM.**

- The holding force of the magnetic panel is 380 kg/sqm (data declared by the manufacturer).
- The magnetic field is distributed over the entire surface of the panel and is very confined (at a distance of 2 mm it is already equal to zero).
- The magnetic hook is obtained only if the two surfaces, panel and plate, are completely in contact.
- The removable film is made of plastic material, on which you can print promotional material related to the product you want to exhibit.


- Given its small thickness, it does not interfere with the magnetic field and allows you to apply tiles on top of it.
- The t-box panels can be drilled for the application of bathroom furniture or sanitary ware because the holes in the panel do not affect the magnetic force of the system.

**The hooking of the tiles is guaranteed upon the occurrence of the following conditions:**

- Thickness less than or equal to 10mm: cover with plates at least 50% of the surface.
- Thickness higher than 10mm: cover 100% of the surface.
- Adhesive metal plates must take place on a dry and clean surface.
- The plate, once placed, must be left to rest at least 30 minutes under adequate pressure-weight, to ensure that the spongy layer of double-sided adhesive can adhere perfectly to the uneven surface of the back of the tile.
- 30 minutes is the minimum time required for the adhesive to exert 90% of the grip.



1. Apply the magnetic panel to the desired surface in an appropriate manner, taking care to maintain the planarity of the surface.



2. Check that the surface of the back of the tile is dry and clean.
3. Use the number of metal plates in the required amount.
4. Remove the protective film of the adhesive and properly distribute the plates on the entire back of the tile.
5. Allow the plates to stand under adequate pressure-weight for at least 30 minutes.



6. The removable film should be applied to the magnetic support, after cleaning it thoroughly, in order to avoid the formation of superficial bubbles.



7. Apply the tiles on the magnetic panel.

## ATTENZIONE:

The adhesive metal plates must be stored in a dry place and at room temperature between 5°C and 35°C.

Magnetic panels are strictly to be used indoors, in a dry, non-wet place, and away from direct heat sources.

On the website [www.temporarybox.com](http://www.temporarybox.com) you can find a "FAQ" section with answers to our customers' FAQs and a "TUTORIAL" section that contains mini video-guide for the correct installation and use of the TEMPORARY BOX system.

KERAMET S.r.l. does not accept any liability for possible direct, indirect, special or derived damages or for any other damages, of any kind and as a consequence of any cause, caused by improper use of the TemporaryBox system or improper storage of its elements.

EASY INTERCHANGEABLE DIY  
SIMPLE @ PRATICLE ADAPTABLE  
@ CLEAN ECOFRIENDLY QUICK  
DIY FLEXIBLE DYNAMIC @ EASY  
FUNCTIONAL SIMPLE INTUITIVE  
CONVENIENT EASY @ FASTER  
HANDY ECOFRIENDLY CLEAN  
EFFICIENT @ FLEXIBLE SIMPLE  
CHEAPER FASTER FUNCTIONAL  
@ ESSENTIAL DIY SUSTAINABLE  
INTERCHANGEABLE CHEAPER  
VERSATILE DYNAMIC PRATICLE  
ECOFRIENDLY EASY UNIQUE @

KERAMET srl  
[www.temporarybox.com](http://www.temporarybox.com)  
[info@keramet.it](mailto:info@keramet.it)

Show Room: Strada Cognento 26 41126 Modena